CONFIGURATION GUIDE



Cloudpath Enrollment System Multi-Tenant Server Configuration Guide, 6.0

Supporting Cloudpath Software Release 6.0

© 2024 CommScope, Inc. All rights reserved.

No part of this content may be reproduced in any form or by any means or used to make any derivative work (such as translation, transformation, or adaptation) without written permission from CommScope, Inc. and/or its affiliates ("CommScope"). CommScope reserves the right to revise or change this content from time to time without obligation on the part of CommScope to provide notification of such revision or change.

Export Restrictions

These products and associated technical data (in print or electronic form) may be subject to export control laws of the United States of America. It is your responsibility to determine the applicable regulations and to comply with them. The following notice is applicable for all products or technology subject to export control:

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

Disclaimer

THIS CONTENT AND ASSOCIATED PRODUCTS OR SERVICES ("MATERIALS"), ARE PROVIDED "AS IS" AND WITHOUT WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED. TO THE FULLEST EXTENT PERMISSIBLE PURSUANT TO APPLICABLE LAW, COMMSCOPE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, FREEDOM FROM COMPUTER VIRUS, AND WARRANTIES ARISING FROM COURSE OF DEALING OR COURSE OF PERFORMANCE. CommScope does not represent or warrant that the functions described or contained in the Materials will be uninterrupted or error-free, that defects will be corrected, or are free of viruses or other harmful components. CommScope does not make any warranties or representations regarding the use of the Materials in terms of their completeness, correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise. As a condition of your use of the Materials, you warrant to CommScope that you will not make use thereof for any purpose that is unlawful or prohibited by their associated terms of use.

Limitation of Liability

IN NO EVENT SHALL COMMSCOPE, COMMSCOPE AFFILIATES, OR THEIR OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, SUPPLIERS, LICENSORS AND THIRD PARTY PARTNERS, BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, PUNITIVE, INCIDENTAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER, EVEN IF COMMSCOPE HAS BEEN PREVIOUSLY ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, WHETHER IN AN ACTION UNDER CONTRACT, TORT, OR ANY OTHER THEORY ARISING FROM YOUR ACCESS TO, OR USE OF, THE MATERIALS. Because some jurisdictions do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of liability for consequential or incidental damages, some of the above limitations may not apply to you.

Trademarks

CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks, and registered trademarks are the property of their respective owners.

Patent Marking Notice

For applicable patents, see www.cs-pat.com.

Contents

Contact Information, Resources, and Conventions	5
Contacting RUCKUS Customer Services and Support	5
What Support Do I Need?	
Open a Case	
Self-Service Resources	6
Document Feedback	
RUCKUS Product Documentation Resources	
Online Training Resources	
Document Conventions	7
Notes, Cautions, and Safety Warnings	7
Command Syntax Conventions	
How to Manage Cloudpath as a Multi-Tenant Server	
Multi-Tenant Overview	
VM Specifications	
•	
Root Account Tenant Accounts	
Multi-Tenant System Setup	
Multi-Tenant Activation Code	
Activate Account by Activation Code	
Setting Up the Root Account	
System Setup Wizard	
System Setup Wizard	
Select Server Type	
Configure the System WWW Certificate	
Upload the WWW Certificate	
Navigating the Root Account	
Accounts	
Snapshots	
Commands	
Administration - Administrators	
Administration - Company Information	
Administration - System Services	
Administration - System Updates	
Support - Licensing	
Support - Diagnostics	
Support - Upload Support File	
Adding Tenant Accounts	
Adding a Tenant Account From the Root Account	
Create Tenant Account	
Tenant Account Admin Password	
Setting Up the Tenant Account	
Tenant Account Setup Wizard	
Tenant Account Login	
Tenant Logs In	
To Do Items	
Enrollment Workflow	

Contact Information, Resources, and Conventions

•	Contacting RUCKUS Customer Services and Support	5
	Document Feedback	
	RUCKUS Product Documentation Resources	
	Online Training Resources	
	Document Conventions.	
	Command Syntax Conventions	

Contacting RUCKUS Customer Services and Support

The Customer Services and Support (CSS) organization is available to provide assistance to customers with active warranties on their RUCKUS products, and to customers and partners with active support contracts.

For product support information and details on contacting the Support Team, go directly to the RUCKUS Support Portal using https://support.ruckuswireless.com, or go to https://www.ruckusnetworks.com and select **Support**.

What Support Do I Need?

Technical issues are usually described in terms of priority (or severity). To determine if you need to call and open a case or access the self-service resources, use the following criteria:

- Priority 1 (P1)—Critical. Network or service is down and business is impacted. No known workaround. Go to the Submit a Case section.
- Priority 2 (P2)—High. Network or service is impacted, but not down. Business impact may be high. Workaround may be available. Go to the **Submit a Case** section.
- Priority 3 (P3)—Medium. Network or service is moderately impacted, but most business remains functional. Click the **CONTACT** tab at the top of the page and explore the **Self-Service Online Help** options.
- Priority 4 (P4)—Low. Requests for information, product documentation, or product enhancements. Click the CONTACT tab at the top of the page and explore the Self-Service Online Help options.

Open a Case

When your entire network is down (P1), or severely impacted (P2), call the appropriate telephone number listed below to get help:

- Continental United States: 1-855-782-5871
- Canada: 1-855-782-5871
- Europe, Middle East, Africa, Central and South America, and Asia Pacific, toll-free numbers are available at https:// support.ruckuswireless.com/contact-us and Live Chat is also available.
- Worldwide toll number for our support organization. Phone charges will apply: +1-650-265-0903

We suggest that you keep a physical note of the appropriate support number in case you have an entire network outage.

Self-Service Resources

The RUCKUS Support Portal at https://support.ruckuswireless.com offers a number of tools to help you to research and resolve problems with your RUCKUS products, including:

- Technical Documentation—https://support.ruckuswireless.com/documents
- Community Forums—https://community.ruckuswireless.com
- Knowledge Base Articles—https://support.ruckuswireless.com/answers
- Software Downloads and Release Notes-https://support.ruckuswireless.com/#products_grid
- Security Bulletins—https://support.ruckuswireless.com/security

Using these resources will help you to resolve some issues, and will provide the Technical Assistance Center (TAC) with additional data from your troubleshooting analysis if you still require assistance through a support case or Return Merchandise Authorization (RMA). If you still require help, open and manage your case at https://support.ruckuswireless.com/case_management.

Document Feedback

RUCKUS is interested in improving its documentation and welcomes your comments and suggestions.

You can email your comments to RUCKUS at #Ruckus-Docs@commscope.com.

When contacting us, include the following information:

- Document title and release number
- Document part number (on the cover page)
- Page number (if appropriate)

For example:

- RUCKUS SmartZone Upgrade Guide, Release 5.0
- Part number: 800-71850-001 Rev A
- Page 7

RUCKUS Product Documentation Resources

Visit the RUCKUS website to locate related documentation for your product and additional RUCKUS resources.

Release Notes and other user documentation are available at https://support.ruckuswireless.com/documents. You can locate the documentation by product or perform a text search. Access to Release Notes requires an active support contract and a RUCKUS Support Portal user account. Other technical documentation content is available without logging in to the RUCKUS Support Portal.

White papers, data sheets, and other product documentation are available at https://www.ruckusnetworks.com.

Online Training Resources

To access a variety of online RUCKUS training modules, including free introductory courses to wireless networking essentials, site surveys, and products, visit the RUCKUS Training Portal at https://commscopeuniversity.myabsorb.com/. The registration is a two-step process described in this video. Create a CommScope account and then register for, and request access for, CommScope University.

Document Conventions

The following table lists the text conventions that are used throughout this guide.

TABLE 1 Text Conventions

Convention	Description	Example
monospace	Identifies command syntax examples	<pre>device(config)# interface ethernet 1/1/6</pre>
bold	User interface (UI) components such as screen or page names, keyboard keys, software buttons, and field names	On the Start menu, click All Programs.
italics	Publication titles	Refer to the RUCKUS Small Cell Release Notes for more information.

Notes, Cautions, and Safety Warnings

Notes, cautions, and warning statements may be used in this document. They are listed in the order of increasing severity of potential hazards.

NOTE

A NOTE provides a tip, guidance, or advice, emphasizes important information, or provides a reference to related information.

ATTENTION

An ATTENTION statement indicates some information that you must read before continuing with the current action or task.



CAUTION

A CAUTION statement alerts you to situations that can be potentially hazardous to you or cause damage to hardware, firmware, software, or data.



DANGER

A DANGER statement indicates conditions or situations that can be potentially lethal or extremely hazardous to you. Safety labels are also attached directly to products to warn of these conditions or situations.

Command Syntax Conventions

Bold and italic text identify command syntax components. Delimiters and operators define groupings of parameters and their logical relationships.

Convention	Description
bold text	Identifies command names, keywords, and command options.
italic text	Identifies a variable.
[]	Syntax components displayed within square brackets are optional.
	Default responses to system prompts are enclosed in square brackets.
{x y z}	A choice of required parameters is enclosed in curly brackets separated by vertical bars. You must select one of the options.
x y	A vertical bar separates mutually exclusive elements.
< >	Nonprinting characters, for example, passwords, are enclosed in angle brackets.
	Repeat the previous element, for example, member[member].
١	Indicates a "soft" line break in command examples. If a backslash separates two lines of a command input, enter the entire command at the prompt without the backslash.

How to Manage Cloudpath as a Multi-Tenant Server

•	Multi-Tenant Overview	9
	Multi-Tenant System Setup	
	Setting Up the Root Account	
	System Setup Wizard	
•	Navigating the Root Account	20
	Adding Tenant Accounts	
•	Tenant Account Login	35

Multi-Tenant Overview

Cloudpath supports server configurations in single-tenant and multi-tenant mode. A multi-tenant instance allows you to host multiple customer accounts on your Cloudpath system.

In multi-tenant mode, the server is configured for one root account and up to 128 tenant accounts.

NOTE

Each multi-tenant system is provided with 256 RADIUS ports, which equates to one RADIUS authentication port, and one RADIUS accounting port, per tenant account.

VM Specifications

A Cloudpath multi-tenant virtual appliance can be deployed using a VMware ESXI, with an open virtualization archive (OVA) file, or using Microsoft Hyper-V Manager, with a Hyper-V virtual hard disk (vhdx) disk image file.

When deploying a VM for a multi-tenant server, we recommend using 16-18 GB RAM and a 4 vCPUs x 4 Cores configuration to support up to 128 tenant accounts.

Root Account

The root account is the bind account for the entire multi-tenant system. The root account manages the Cloudpath server, can view and manage all tenant accounts and perform system administration tasks, such as upgrades, certificate management, and license information.

Tenant Accounts

Tenant accounts are individual customer accounts hosted and managed by the Cloudpath multi-tenant server. Tenant administrators can only view and manage their own account.

Multi-Tenant System Setup

Multi-Tenant Activation Code

Before setting up a multi-tenant system, you must obtain a multi-tenant activation code from the Cloudpath license server administrator. Request a multi-tenant activation code by emailing cloudpathtrial@ruckuswireless.com, or ask your Ruckus Wireless sales representative to assist with obtaining a multi-tenant activation code.

NOTE

If you configure your system for single tenant, it cannot be changed to a multi-tenant system.

Activate Account by Activation Code

A multi-tenant activation code is sent by the Cloudpath license server administrator. Example email with activation code:

An activation code has been generated for an on-premise multi-tenant VM.

```
Activation Code: CE4E-E533-906A
Account: Anna Test BVT
Administrator: anna@cloudpath.net
```

After the VM is deployed, enter the hostname of your system in a browser to access the Cloudpath login page.

FIGURE 1 Enter Multi-Tenant Activation Code

CLOUDPATH CHROLLMENT SYSTEM		
	Activate by an Please provide the activation code Activation Code	
	Quick Start Guide	Activate

Enter your multi-tenant activation code.

Setting Up the Root Account

The initial username and password will be used to bind the root account. You cannot use this account again on the system. No tenant accounts can use the same email and password as the root account.

After the multi-tenant system is activated, you are prompted to set a password for the root account administrator. Use the same email address from the activation code email.


FIGURE 2 Create a Password for the Root Account

ENROLLMENT SYSTEM	
	Password Setup
	The following credentials will be used to log into this system in the vulure.
	anna@cloudpath.net
	Password
	Confirm Password
	Submit

Create a new password for the root account login.

After you enter the multi-tenant activation code, your system is automatically reconfigured as a multitenant system, then restarts.

FIGURE 3 Activating a Multi-Tenant System



Reconfiguring the server to be a multi-tenant system takes a few minutes. When complete, enter the administrator email address and new password to finish setting up the system.

FIGURE 4 Login After Restart

CLOUDPATH ENFOLLMENT SYSTEM	
	Sign In
Activate Account	Forget Password New to Cloudpath? Sign In

NOTE

The credentials entered after a multi-tenant configuration are for the Root Account.

System Setup Wizard

After a successful activation (or login), the system setup wizard takes you through a few steps.

Select Server Type

FIGURE 5 System Setup Standard Server

nat T	ype Of Server Is This?
	Standard Server (Default)
	Select this option if this server is your first server or if a cluster will be initialized from this server.
0	Add-On Server For Cluster
	Select this option if this server will be part of a cluster and the cluster will be initialized from a different server. No further configuration will occur on this server until the cluster is established.
0	Replacement Server For Existing Server
	Select this option if this server will import data from an existing server.

In most cases, select **Standard Server**, the default. This selection takes you through a setup wizard, which prompts you for the basic information required for a Cloudpath server.

If you are setting up this server for replication, you can choose to set the server as an **Add-On** or **Replacement** server. These selections provide an alternate set up process, requiring less information for the initial setup. **Add-On** and **Replacement** servers receive most of their configuration from the primary server in the cluster.

If you are setting up this server to replace an existing server, and you are importing the database from the existing server, select **Replacement** Server for Existing Server

NOTE

For add-on or replacement servers, you are not required to go through the full system setup.

Select System Hostname

FIGURE 6 Enter Hostname

lostname Information		
	nultiple locations, including within the URL for OCSP of the root certificate tern. It is okay if the DNS entry is not yet setup.	authority. This should be set based on the
OTE: If you change this, the web serv	ver will restart. If you receive a 404 error, simply refresh the page.	
	anna242.cloudpath.net	
i DNS Hostname (FQDN):		

Configure the System WWW Certificate

The system is configured to use HTTPS, but does not currently have a valid WWW server certificate. An invalid WWW server certificate can impact the ability of end-user enrollments, causing 404 errors due to a lack of trust.

NOTE

The root account requires a WWW certificate. Tenant accounts will use the WWW certificate of the root account.

FIGURE 7 WWW Certificate

ystem	Setup Skip Next 🕨
www	Certificate for HTTPS
serve enroll prior t attem	ystem is configured to use HTTPS, but does not currently have a valid WWW r certificate. An invalid WWW server certificate will impact the ability of end-user ments, causing 404 errors due to a lack of trust. The system can be configured to the WWW server certificate being installed, but it should be installed prior to obing to enroll as an end-user. WWV certificate may be a wildcard certificate (*.company.com) or a named certificate (onboard.company.com). The WWW certificate must matc VS name used by the end-users to enroll.
0	uest a WWW certificate, you may need to provide a Certificate Signing Request (CSR). If so, one may be downloaded below. Generate a Certificate Signing Request (CSR) Select this option to generate a CSR, which can be sent to a certificate authority to issue a WWW server certificate. After receiving the certificate back, it can be uploaded.
۲	Upload the WWW Certificate Select this option If you have the WWW server certificate available to upload.
0	Skip for now. Select this option to skip this step for now.

You can skip this step for the initial configuration. However, it should be installed before adding tenant accounts, or enrolling end-users. You can configure the WWW server certificate from Administration > System Services > Web Server service.

Cloudpath supports web server certificates in P12 format, password protected P12, or you can upload the individual certificate components; the public key, chain, and private key or password protected private key.

Upload the WWW Certificate

FIGURE 8 Upload WWW Certificate

~	Upload by PEM Files				
	If a p12 file is not available, you may	upload the individual compone	nts of the certificate. All files	s must be in PEM (Base64) form:	at. If the private key i
	password-protected, specify the pass	word too. If the private key is n	ot password-protected, leav	e the password blank.	
1	Public Key (PEM):	Choose File No file cho	sen		
1	Chain (PEM or P7b):	Choose File No file cho	sen		
1	Additional Chain (Optional):	Choose File No file cho	sen		
1	Additional Chain (Optional):	Choose File No file cho	sen		
1	Private Key (PEM):	Choose File No file cho	sen		
1	Private Key Password:				
1	Prompt for Password on Boot:				
~	Upload by P12				
	You may upload a server certificate in	p12 format. To do so, you mus	t also specify the password	if the p12 is password protected	1.
Ð	P12 File:	Choose File No file cho	cen.		

Browse to locate and upload the web server certificate and click **Next** to continue with the system setup.

FIGURE 9 System Restarting After WWW Certificate Upload

System Setup			
Restarting Service			
Applying web server certificate	to the system and restarting we	eb server. Please wait	
	Processing	×	
	20		
	212		

After restarting the web service, the system setup is complete.

The server displays a setup complete page, and a confirmation email is sent to the administrator.

FIGURE 10 Setup Complete for Multi-Tenant System

CLOUDPATH			-	U
Multitenant 👻				
Accounts	System Setup			
Snapshots	Initialization Task	Status		
Commands	Multi-Tenant Mode:	Activated.		
Administration	System Initialization:	Complete.		
Administration	Administrator Experience.			
Support >	Administrator UI:	https://anna242.cloudpath.net/admin/		
	Credentials:	The following email addresses have been sent a one-time password along with this information		
		anna@cloudpath.net		
		If you ever forget your password, you can reset it from the login screen.		
	Key Pages:	View Customer Accounts - View list of customers on this system.		
		Add Customer Account - To add a customer to this system.		
		Add/Manage Administrators - This page allows additional administrator logins to be setup.		

FIGURE 11 System Setup Confirmation Email

Administrator Experience:	
Administrator UI:	https://anna246.cloudpath.net/admin/
Credentials:	The following email addresses have been sent a one-time password along with this information: anna@cloudpath.net
	If you ever forget your password, you can reset it from the login screen.
Key Pages:	View Customer Accounts - View list of customers on this system.
	Add Customer Account - To add a customer to this system.
	Add/Manage Administrators - This page allows additional administrator logins to be setup.

Navigating the Root Account

The root account can view and manage all tenant accounts and perform system administration tasks, such as upgrades, certificate management, and license information.

Accounts

In the **Accounts** tab view, tenant accounts are displayed according to the **Active**, **Disabled**, or **All** tabs at the top of the page. Click the arrow to the left of the account name to view account details, or click **Expand/Collapse All** button at the top of the page.

FIGURE 12 Accounts View

Multitenant	•	Show: Active Disabled All Expand/Collapse All Publish All Snapshots Add Account	
Accounts			-
Snapshots		> Account: Anna Brocade	Ţ,
Commands		> Account: Anna Ruckus	[1]
Administration	•	> Account: Anna Test BVT (Default)	
Support	•	> Account: Anna_Cloudpath	Ľ
		> Account: TestNewAccount	(L)

Changing Into a Tenant Account From the Root Account

From the root account, use the down arrow to the right of the tenant account change into the account as an administrator for the tenant account.

FIGURE 13 Change Into Account from Root Account

Multitenant		Show: Active Disabled All Expand/Collapse All Publish All Snapshots Add Account	Л
Accounts			V
Snapshots		> Account: Anna Brocade	(†)
Commands		Account: Anna Ruckus	(¥)
Administration	•	> Account: Anna Test BVT (Default)	
Support	•	> Account: Anna_Cloudpath	Ш.
		> Account: TestNewAccount	(1)

Snapshots

This summary view provides a glimpse into successful snapshots and the latest client version for each tenant account.

FIGURE 14 Snapshots View

	Account	Location	Status	Current Snapshot
napshots	Anna Brocade	Production	Catest Wizard	5.0.668 on 20170531 1616 MDT
ommands	Anna Ruckus	Production	Catest Wizard	5.0.668 on 20170531 1610 MDT

Commands

The multi-tenant commands are shortcuts for root account administration.

- Click Download to obtain the email address of all administrators, as needed for system communications, such as upgrade notices.
- If your system is set up for trial accounts, click **Disable Expired Trials** when you want to disable expired accounts and free up RADIUS ports.
- Click Refresh Licenses to refresh license information between the multi-tenant system and the Cloudpath license server.

FIGURE 15 Commands View

Multitenant 🗸	Multitenant > Commands				
Accounts					
Snapshots	Multitenant Commands				
Commands					
	Administrators: Download				
Administration	Trials: Disable Expired Trials (60 Days)				
Support	Licenses: Refresh Licenses				
Support y					

Administration - Administrators

During the initial system setup, Cloudpath sets up an administrator for the root account.

Additional administrators for the root account can be added from the left menu **Administration** tab, or you can enable Administrator logins from your authentication servers.

FIGURE 16 Administrators for Root Account

Multitenant F	Administration > Administrators	Add Admin 🕨
Administration 👻		
Administrators	> Admin 1: • anna@cloudpath.net	/ Ov
Company Information		
System Services		
System Updates		
Replication		
Support >		

Administrator Roles

Cloudpath supports the following Administrator Roles for the root account:

- CA Administrator—Allows full configuration access to the Administrative UI. This administrator role can manage all administrative users.
- Administrator—Allows full configuration access to the Administrative UI, except for Certificate Authorities. This administrator can manage Administrator and Viewer administrative users.
- Viewer—Allows view-only access to Enrollment, User, and Certificate records on the Dashboard, the enrollment Workflow, and the Documentation and Licensing pages. This administrator cannot manage other administrative users.

Administration - Company Information

Company Information is typically entered during the initial system setup but can be managed from the **Administration** > **Company Information** screen. The data from this page is used within the URL for enrollments and sponsorships, and included in the onboard CAs.

Multitenant	Administration > Company Information			
Administration	·			
Administrators	Company Information			
Company Information	n (i) Display Name: Anna Test BVT			
System Services	() Company Domain:			
System Updates	(i) IT Email:			
Replication	Legal Company Name:			
	() Department Name:			
Support	City:			
	() Country:			
	Default SMS Country Code: [Default]			
	Portal URL			
	() URL Name:			
	Load Balancer Protocol: [Default]			
	Support Information			
	The following information is included in the wizard in the event that the end-user needs to contact support.			
	Support Email:			
	Support Phone:			
	Support URL:			
	Support Message:			

Administration - System Services

Navigate to **Administration** > **System Services** to restart or view logs for the application server, web server, configure email or SMS servers, or start up a support tunnel.

FIGURE 18 System Services for Root Account

>	Service:	Web Server	1
>	Service:	Network	
	Service:	SSH	•
•	Service:	Support Tunnel	•
,	Service:	Outbound Email	1
	Service:	Outbound SMS	1
	Service:	Logs	1
	Service:	External Reporting Server	1
	Service:	Virtual Machine	
į.	Service:	Alexa	1
	Service:	Auto VLAN Assignment	1

System services for the root account include:

- Web Server—Download the Apache Server access and error logs from the Web Server component. You can also Restart the web server, generate a CSR, edit administrative access restrictions, and download or upload the web server certificate, or if needed, upload a code certificate.
- Network—The Network service displays network properties for Cloudpath, and provides access to view or download the diagnostic logs.
- SSH—Use the SSH service to enable, disable or change the access port. SSH runs on ports 22 and 8022. You can set the port number using the command line or from the user interface. Even if you disable SSH access for both ports, SSH can continue to run.
- Support Tunnel—The Support Tunnel service allows you to open a support tunnel to help you in diagnosing issues with your application or configuration.
- Outbound Email—Use the onboard email provider or configure a local email server.
- Outbound SMS—Use the onboard SMS provider, enter a CDYNE account or route SMS message through a customer-owned account.
- Logs—Configure where syslog messages are sent. You can enable the syslog, select the protocol over which the syslog messages are sent, and enter a host and port number.
- External Reporting Server—Allows you to integrate Cloudpath enrollment data with a reporting server, such as the ELK stack (Elasticsearch, Logstash, and Kibana).
- Virtual Machine Displays the system clock and system information about the virtual machine. You can also reboot or shut down the virtual machine from this page.
- Alexa Allows you to bind or unbind Alexa, remove old binding data, or get Alexa log files.
- Auto VLAN Assignment Allows you assign available VLAN IDs from a configured range of VLANs to users during their enrollment.

Administration - System Updates

From the System Updates page, view and manage your existing build version, scan check for updates, and apply support patches.

FIGURE 19 System Updates for Root Account

Multitenant	Administration > System Updates
Administration 👻	
Administrators	System Updates
Company Information	
System Services	The system is currently running version 5.1.3467.
System Updates	No updates are currently available for this system.
Replication	Check For Updates
Support >	

Support - Licensing

The Licensing page displays information about system licenses, active certificates, usage statistics, and copyright notices.

FIGURE 20 Licensing View Root Account

Muttenant >	Support > Licensing	Check For Updates
Administration		
Support 👻	License Information	
Documentation Licensing Uprovid Support File	License Type:	Insi Active trail trough [Uninown], For assistance with licensing or renowalk:
-	System Utilization	Cantac (Sarlys
	Sinfaches:	Users, Authoritications, Certification: MAC Registrations, Notifications
	License Server	
	License Server: Link Established: Cestaurer GUD: System Ubanther:	https://bitclouc.path.net https://bitclouc.path.net (entri/Tisessis-Sev/Tooksatustistentri =etkisie=ECQ (00000C CA1030807 3349 A6F8 DF24 772488355137C 58568544 06CD F26A 12FC)
	Notices	
	Open Source Notices:	This product contains components covered by various open source licenses. These licenses, including the software components, are available at http://www.cloucgath.net/opensource
	Potent Notice:	This product includes software developed by the Abache Software Foundation (http://www.apache.org)) Protected by one on more of the conserving patients: 9(337,444,9(303);177,9(337,234,5(337,255,5(343,443,5(037))449, Contacts Lopoth on additional patients
onnaDC cloudpoth.not Vorsion 5.1.3407 Use of this webate significa your agreement to the EULA	Copyright Notice:	Copyright 2012-2017 Ruckus Networks

Support - Diagnostics

The Diagnostics page provides useful tools for system troubleshooting connectivity issues, and verifying certificate information.

FIGURE 21 Cloudpath Connectivity Diagnostics

Multitenant	Suppo	Support > Diagnostics					
Administration							
Support 👻	Ping	DNS Lookup	HTTPS & I Certificate	LDAPS	RADIUS Certificate	WLAN Controller	Generate Support Bundle
Documentation							
Licensing	1	Server DNS/IP	Address:	[ex. serve	r.domain.com]		Run
Diagnostics							
Upload Support File							

The diagnostics includes:

- Ping—Ping an IP address or hostname.
- DNS Lookup—Provide server information and IP address for a given hostname.
- HTTPS & LDAPS Certificate—Query the server certificate used by a secured server (HTTPS, LDAPS, etc.) to verify the certificate currently in use by a server.
- RADIUS Certificate—Query the RADIUS server certificate and the chain presented by the RADIUS server. This is useful to verify the certificate currently in use by a RADIUS server. For this test to work, the Cloudpath ES must be able to reach the IP and port, the shared secret must be correct, and the Cloudpath ES must be an approved client for the RADIUS server.
- WLAN Controller—Query the WLAN controller to check if required ports are accessible.
- Generate Support Bundle: Click **Run** from this tab to generate a zip file that contains log files and metrics information to provide to your Ruckus support representative.

Support - Upload Support File

If Cloudpath Support has provided a support file, you can upload it on this page. This will make changes to the system, so we recommend that you create a VMware snapshot first.

NOTE

Only use a support file with the assistance of the Cloudpath Support team.

FIGURE 22 Upload Support File for Root Account

Muttenant	Support > Upload Support File	Apply 🕨
Administration		
Support 👻	Support File Information	
Documentation	Important: A support file should only be uploaded when advised by support.	
Licensing	This will make changes to the system, so it is advised to create a snapshot of the VM .	
Upload Support File	(i) Support File: Choose File No file chosen	

Adding Tenant Accounts

This section describes how to add a tenant account.

Adding a Tenant Account From the Root Account

A root account administrator adds tenant accounts from the root account Accounts tab.

From the multi-tenant root account Accounts page, click the Add Account button.

FIGURE 23 Add Tenant Account

Accounts	Show: Activ	re Disabled All Expand/Collapse All Publish All Snapshots Add Account	
Snapshots	> Account:	Anna Brocade	(L)
Commands	> Account:	Anna Ruckus	(L)
Administration	> Account	Anna Test BVT (Default)	

Create Tenant Account

Enter tenant account information:

- Company Name
- Company URL Name

How to Manage Cloudpath as a Multi-Tenant Server

Adding Tenant Accounts

- Create Account Administrator
- Admin Display Name
- Admin User Name

FIGURE 24 Create Tenant Account Information

Multienant 🗸	Accounts > Create Cancel Save	
Accounts		
Snapshots	Account Information	
Commands		
Administration	Company Name: Anna Rrocarte	
Automistration	() Company URL Name: AnnaBrocade ·	
Support >	Create Account Administrator:	
	Admin Display Name: Anna Brocade	
	Admin Userrame: aekhel@brocade.com ·	
	Specify Password:	
	The password specified below will be used. The administrator will not be emailed.	
	Password:	
	Confirm Password:	

Tenant Account Admin Password

Different methods for creating tenant administrator accounts:

- Create an admin account without specifying a password. A system generated password is emailed to the admin.
- Create an admin account with a defined password. The system does not send an email notification for defined passwords.
- Create no account admin. The account is created without an admin. The only way to access the account is by changing into the tenant account from the root account. For details, see the "Changing Into a Tenant Account From the Root Account" section of the Navigating the Root Account on page 20 topic.

Setting Up the Tenant Account

After the tenant administrator account has been created, use the tenant administrator credentials from the new administrator account email to access and log in for the initial system setup.

Account Administrator Login

Use the temporary password from the administrator email.

Example email with login credentials:

```
You have been added as an administrator.
URL: https://test245.cloudpath.net/admin/
Username: test_user@cloudpath.net
Temporary Password: Uw6hYcE9vS
```

NOTE

If no tenant account admin was specified, the root account user can change into the account for system setup.

FIGURE 25 Log In With a Temporary Password

CLOUDPATH ENROLLMENT SYSTEM		
	Sign In	
	Forgot Password Sign In Copyright @ Ruckus, an ARRIS Company 2019. All rights reserved. Activate Account	

Account Admin Setup Credentials

NOTE

If you were assigned a specific password when the tenant account was set up, you will not be prompted to change your password.

FIGURE 26 Set up new credentials

plish an onboard username and password.	
anna@cloudpath.net	
••••	
	anna@cloudpath.net

Tenant Account Setup Wizard

After the first login to a tenant account (by logging in, or by changing into the account), the system setup wizard guides you through a few basic steps.

Company Information

Enter Company Information. This information is embedded in the onboard root CA certificate.

FIGURE 27 Company Information

System Setup			Next 🕨
Changed into account.			
Company Information			
(i) Company Name:	Anna Brocade	,	
Legal Company Name:	[ex. Sample Company, Inc.]		
Department Name:	[ex. Information Technology]		
(i) City:	[ex. Westminster]		
State/Province:	[ex. Colorado]		
(i) Country:	[ex. US] •		
Company Web Presence			
(Company Domain:	[ex. company.com]		
(i) Support Email:	[ex. support@company.com]	· ·	
(i) IT Email:	[ex. it@company.com]		

Select Workflow Template

To initialize the system with a sample configuration, select **BYOD Users & SMS Guests**, or **BYOD Users Only**. This creates an initial workflow for BYOD users and sponsored guests (or BYOD users only) that you can use as a template, or simply add a device configuration and use immediately.

To create your own workflow, select Start with Blank Canvas.

orkfle	ow Information			
The s		guration or initialized blank. Either way, the system may be fully customized after being initialized. Select your preference		
۲	BYOD Users & SMS-based Guests. Initializes the system for handling BYOD and guest users. Each user will be configured for the secure WPA2-Enterprise wireless network specified below and issued a certificate granting them BYOD or guest access.			
	() Secure SSID Name:	CloudpathTest		
0	BYOD Users Only. Initializes the system for handling BYOD certificate granting them BYOD access.	D users. Each user will be configured for the secure WPA2-Enterprise wireless network specified below and issued a		
0	Start with a Blank Canvas.	low.		

Authentication Server

NOTE

If you selected a **Blank Canvas** for the default workflow, you are not prompted to set up an authentication server during the initial system setup.

If you plan to use an authentication server to authenticate end-users or sponsors, we recommend populating the authentication server information page.

If using multiple authentication servers, additional authentication servers may be added through the workflow or from the **Configuration** > **Authentication Servers** page.

Adding Tenant Accounts

FIGURE 28 Set Up Tenant Authentication Server

۲	Connect to Active Directory Select this option to enable end-users to	authenticate via Active Directory.
	Default AD Domain:	test.cloudpath.local
	() AD Host:	Idaps://192.168.4.2 *
	() AD DN:	dc=test,dc=cloudpath,dc=local *
	AD Username Attribute:	SAM Account Name
	Verify Account Status On Each Au	tentication
	Perform Status Check:	
	Additional Logins	
	Use For Admin Logins:	
	(i) Use For Sponsor Logins:	×
	Test Authentication	
	Run Authentication Test?	V
	 Test Username: 	bob *
	(j) Test Password:	
0	Connect to LDAP	
	Select this option to enable end-users to	authenticate via LDAP (or LDAPs).
0	Connect to RADIUS	
	Select this option to enable end-users to	authenticate via RADIUS using PAP.
0	Connect to SAML	
9		suthenticate via a SAML 2.0 IdP.

To setup the initial configuration of the authentication server, select and enter the required fields.

Consider these optional settings for the authentication server:

- Verify Account Status on Each Authentication—If selected, Active Directory is queried during subsequent uses of the certificate to verify the user account is still enabled. You must provide the bind username and password for an authentication server administrator account.
- Additional Logins Authentication Server definitions of types Connect to Active Directory and Connect to LDAP offer additional options.

If **Use for Admin Logins** is selected, administrators can log into the Cloudpath Admin UI using credentials associated with this authentication server. Additionally, three related options become available to define which authentication server defined user groups are allowed as Cloudpath administrators. They are:

- CA Administrator Group Regex
- Administrator Group Regex
- Viewer Group Regex

Group Regex options are used to map Authentication Server defined groups to Cloudpath administrator Roles. User groups returned by the authentication server must match at least one of the Group Regex fields for the Admin login to be allowed.

NOTE

Similar to the AD and LDAP servers, SAML authentication server definitions can now be used to authenticate administrators of Cloudpath through the **Use For Admin Logins** option.

Important Information for SAML Administrator UI Configuration

- After configuring a SAML authentication server definition on Cloudpath, the SP Metadata that is required for configuring the SAML IdP side is available. The authentication servers are listed in Configuration > Authentication Servers, and you can get the SP Metadata of the SAML definitions by clicking the download icon on the right side of the listing header.
- For SAML authentication server definitions, it is important that the Username and Distinguished Name attributes are correctly
 mapped in the SAML Attribute to Enrollment Mappings section. The Username will map to Cloudpath administrator Username on
 first login. Distinguished Name is used to lookup existing reference to externally authenticate the Cloudpath administrator account if
 one exists. Otherwise, a new externally authenticated account is created.

NOTE

The Username and Distinguished Name values must not overlap with locally defined Cloudpath administrator accounts.

- Only one SAML type authentication server definition can have the Use For Admin Logins option enabled.
- Similar to other authentication server definitions, the **Group Attribute** provided by the SAML IdP assertion can be used to determine which external user accounts are allowed to access Cloudpath.

Important Information for SAML Administrator UI Log In

- After the SAML authentication server is configured by enabling the Use For Admin Logins option, the Cloudpath login page displays a new button Sign in via SSO. Clicking the button initiates the SAML IdP login flow. If the IdP login is successful and if the IdP provided Group Attribute matches at least one configured Group Regex, then the administrator is allowed to login.
- In cloud or hosted Cloudpath versions, for a Cloudpath administrator to authenticate through an externally authenticated account such as SAML, a specific administrator login page URL is needed. The URL for the administrator login page is displayed when expanding the SAML authentication server definition listing of authentication servers in **Configuration** > **Authentication Servers**.

While authenticating the admin user, if multiple regexes match, the role with the highest privilege takes precedence. If none of the three regexes match, authentication is denied to the user.

If **Use for Sponsor Logins** is selected, sponsors can log into the Cloudpath Sponsorship Portal using credentials associated with this authentication server.

- To authenticate as an administrator to an external authentication server, each tenant account must go to an admin login page specific to their account. This URL is of the form: https://<cloudpath-host>/admin/login/<AccountUrlName>/
- The URL Name for an account can be found or edited under Administrators > Company Information. For example, if an account's
 URL Name is "TenantAccount1", the account-specific login URL is found at: https://<cloudpath-host>/admin/login/TenantAccount1/
- The standard login page at /admin/ is still available, and accepts logins from any admin account that is being tracked by Cloudpath.
- **Test Authentication**—If selected, an authentication will be attempted using the username and password provided to test connectivity to the authentication server. This test can also be run from the workflow.

Authentication Server Certificate

FIGURE 29 Authentication Server Certificate

To us	e Active Directory via LDAP	S, the system needs to know which server certificate to accept for the authentication server.	
۲	Pin the Current Serve	r Certificate.	
	Pin the current server of	ertificate as a trusted certificate. This is the quickest and easiest but must be updated when the certificate is renewed.	
	Common Name:	svr-2.test.cloudpath.local	
	Thumbprint:	046E0455C030F7015DDA34E666444568D2F301C3	
	Valid Period:	03/05/2017 - 03/05/2015	
	lesued By:	Cloupdath Networks MSthCA	

Select **Upload the Chain for the Server Certificate** to upload a certificate chain from an issuing CA. You must specify the common name for the LDAPS server certificate. This certificate does not need to be updated when the certificate is renewed.

Select **Pin the Current Server Certificate** to use the current server certificate as the trusted certificate. This setting must be updated if the certificate is renewed.

Publish Tenant Account

FIGURE 30 Publish Tenant Account

System Setup	
Initialization Task	Status
Create Certificate Authorities:	Completed.
Create Certificate Templates:	Completed.
Create Device Configurations:	Completed.
Configure Workflow:	Completed.
Activate Sponsor Portal:	Completed.
Publish Enrollment Portal:	Completed.
	System is ready to handle enrollments.
Access Point Setup:	
	The following information will be necessary to configure the access point with the appropriate secure SSID configuration.
SSID:	eng-AnnaBrocade (WPA2-Enterprise, AES (CCMP), Broadcast)
RADIUS IP:	anna242.cloudpath.net
RADIUS Authentication Port:	14391
RADIUS Accounting Port	14392
RADIUS Shared Secret	q5urhc6x3aj6c6ep5uex
RADIUS Attributes:	BYOD Policy Template - VLAN: "1"
	Guest Policy Template - VLAN: '1'
User Experience.	
	End-users will use the enrollment portal to activate devices.
End-User Portal:	https://anna242.cloudpath.net/enroll/AnnaBrocade-1/Production/

After the initial setup tasks, the system finishes the initialization process. When the publishing tasks are complete, the system is ready to use. The setup information is also emailed to the system administrator for this account.

Tenant Account Login

This section describes how a tenant can access and manage the tenant account.

Tenant Logs In

Enter the hostname for the tenant account into a browser to access the tenant account and log in using the credentials previously set up. See the "Account Admin Setup Credentials" section of the Adding Tenant Accounts on page 27 topic.

The hostname can be found in the Cloudpath Setup Information emailed to the account administrator.

To Do Items

After account login, the **Cloudpath Welcome** page is displayed. If the **ToDo Items** list displays, the configuration items listed describe what is needed to complete the account setup.

FIGURE 31 Cloudpath Welcome Page

	environment. The Automated Device Enablement (ADE) approach gives network ive Directory, LDAP, RADIUS, and Integration with Microsoft CA) with guest-centri
Setting Started ise the left menu tabs to begin setting up your workflow configuration. he Dashboard tab displays reporting information about the enrollments, sers, devices, certificates, and more.	A newer wizard version (5.0.776) is available for workflow "Production". Creating a new snapshot that contains the new wizard version is recommended.
he Configuration tab allows you to configure and deploy the enrollment vorkflow, including the look & feel and the device configuration. rom the Sponsorship tab, you can manage vouchers and voucher lists,	System logging is currently running in debug mode.
nd customize the look & feel of the sponsorship portal. rom the Certificate Authority tab, you can manually generate certificates, iew certificate details, revoke certificates, manage the characteristics of ertificates to be issued, and manage certificate authorities (CAs).	The following authentication servers utilize Google's deprecated
he Administration tab allows you to manage administrator accounts, system s	ervices, diagnostics and logs, and system updates.
he Support tab provides access to the Quick Start Guide and several Setup G	Suides to help with common configurations along with licensing information.

Enrollment Workflow

During the initial system setup, a default workflow was configured. Navigate to **Configuration** > **Workflows** to view and manage the enrollment workflow for the tenant account.

FIGURE 32 Workflow Setup Page Tenant

	Wor	Workflows			Status Enr		Enrolment P	Enrolment Portal URL		Last Publish Time		
Workflows	O Prot	Production				Publishec		Jenroll/AnnaBrocade-1/Production/		20170531 1001 MDT		
Device Configurations												
RADIUS Server	Properties Enrol		ment Process	Look & Feel		shol(s)	Advanced					
Authentcation Servers	+											
Firewalls & Web Fifters	1	Step 1: Require the user to accept the AUP Welcome Message and AUP							1	×		
MAC Registrations												
API Keys	1	Step 2:	All matches in	* × / v	isitors	Employees	+		1	\equiv	×	Ţ
onsorship 🕨	2	Step 3:	Send a verifi	cation code fr	om Gues	t Vouche	rs			1	×	
rtificate Authority	+											
ministration >	1	Result: Move user to eng-AnnaBrocade and assign certificate using Guest Policy Templat										1

Refer to the complete set of technical documentation for more information about configuring the tenant account enrollment workflows.

Configuration documentation can be found on the **Support > Documentation** tab, and also on the Ruckus Wireless Support website at: https://support.ruckuswireless.com/documents?filter=89#documents.



© 2024 CommScope, Inc. All rights reserved. 350 West Java Dr., Sunnyvale, CA 94089 USA https://www.commscope.com