



# Ruckus Wireless™ SmartCell Insight™ Version 2.1.1

## Release Notes

Part Number: 800-71345-001 Rev B  
Published: 17 October 2016

[www.ruckuswireless.com](http://www.ruckuswireless.com)

# Contents

Copyright Notice and Proprietary Information	
SCI 2.1.1 Introduction	
Upgrading To This Version.....	4
Data Migration From SCI 1.x.....	4
Supported Controller and AP Firmware Builds.....	5
Resolved Issues	
Caveats, Limitations and Known Issues	

# Copyright Notice and Proprietary Information

Copyright 2016. Ruckus Wireless, Inc. All rights reserved.

No part of this documentation may be used, reproduced, transmitted, or translated, in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without prior written permission of Ruckus Wireless, Inc. (“Ruckus”), or as expressly provided by under license from Ruckus.

## **Destination Control Statement**

Technical data contained in this publication may be subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader’s responsibility to determine the applicable regulations and to comply with them.

## **Disclaimer**

THIS DOCUMENTATION AND ALL INFORMATION CONTAINED HEREIN (“MATERIAL”) IS PROVIDED FOR GENERAL INFORMATION PURPOSES ONLY. RUCKUS AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THE MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE, OR THAT THE MATERIAL IS ERROR-FREE, ACCURATE OR RELIABLE. RUCKUS RESERVES THE RIGHT TO MAKE CHANGES OR UPDATES TO THE MATERIAL AT ANY TIME.

## **Limitation of Liability**

IN NO EVENT SHALL RUCKUS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, OR DAMAGES FOR LOSS OF PROFITS, REVENUE, DATA OR USE, INCURRED BY YOU OR ANY THIRD PARTY, WHETHER IN AN ACTION IN CONTRACT OR TORT, ARISING FROM YOUR ACCESS TO, OR USE OF, THE MATERIAL.

## **Trademarks**

Ruckus Wireless, Ruckus, the bark logo, BeamFlex, ChannelFly, Dynamic PSK, FlexMaster, Simply Better Wireless, SmartCell, SmartMesh, SmartZone, Unleashed, ZoneDirector and ZoneFlex are trademarks of Ruckus Wireless, Inc. in the United States and other countries. All other product or company names may be trademarks of their respective owners.

# SCI 2.1.1 Introduction

This document provides release information on SmartCell Insight (SCI) Release 2.1.1.

SmartCell Insight (SCI) is a Big Data analytics and reporting engine that provides deep visibility into the performance and operational statistics of your Ruckus Wireless WiFi infrastructure.

This document provides release information about the SCI features with notes on known issues, caveats, and workarounds.

**NOTE:** Refer to the previous release notes for previously documented enhancements, resolved issues, caveats and limitations.

Additional documentation on SCI 2.1.1, including the SCI Installation Guide, and SCI User Guide can be found at: <https://support.ruckuswireless.com/>

## Upgrading To This Version

**Upgrade from SCI version 2.0 to 2.1.1:** If SCI version 2.0 is connected to the Internet navigate to **Admin > Status & Update** to upgrade to SCI version 2.1.1. If SCI version 2.0 is not connected to the Internet, SCI 2.1.1 will be a fresh install.

**Upgrade from SCI version 1.x.series to 2.1.1:** SCI version 2.1.1 is a fresh install when upgrading from SCI 1.x series. There is no direct upgrade path from SCI 1.x series. The existing data will need to be manually migrated from SCI 1.x series to SCI 2.1.1

## Data Migration From SCI 1.x

This section describes how you migrate existing data from SCI 1.x to SCI 2.1.1

As SCI 2.1.1 is built on a different software stack from SCI 1.x series, if there is a need to migrate existing data from SCI 1.x to SCI 2.1.1, a full migration of raw data files with complete re-aggregation of data sources is required. Ruckus Wireless recommends that you contact customer support (<https://support.ruckuswireless.com/>), where a support engineer, assigned to you, will guide you through the migration process. However, do note that data migration is not necessary for the upgrade from SCI 1.x to SCI 2.1.1.

Before you start migration, ensure that you have the following pre-requisites and setup.

### Prerequisites

- Existing production server should have a working installation of SCI 1.x version.
- The new production server should have a working installation of SCI 2.1.1 cluster.
- Set aside VM resources for the migration cluster.

- SCI 2.1.1 requires a higher storage capacity - 4 times higher than the raw data in SCI 1.x version in order to be fault tolerant. Adequate storage requirements are necessary before you begin migration.

### Migration Cluster Setup

- The resource requirements, in terms of the number of nodes, vCPUs, RAM and storage are dependent on the total number of APs reporting to the SCI 1.x server. This also includes the number of days of data to be migrated. Example, 120 days of data or 365 days of data.

**NOTE:** Refer to the SCI 2.1.1 Installation Guide for system requirements.

- The SCI 1.x server, SCI 2.1.1 cluster and migration cluster should preferably be in the same network for connectivity (copying files, database access, SSH) or at least be accessible to one another without any firewall restrictions.
- SSH access to the SCI 1.x server is required.

### Notes

- Domain and/or sub-domain data is not present in SCI 1.x version. This means that domains are not visible in the SCI 2.1.1 filter.
- Application report is not supported in SCI 1.x version.
- Time required for migration is dependent on the number of controllers, number of APs, number of days of data to be migrated, and the server resources allocated to the migration cluster.
- The production cluster continues to perform normally during the migration operation.
- It is possible for both version of SCI (SCI 1.x and 2.1.1) to collect data simultaneously from the controllers.

## Supported Controller and AP Firmware Builds

This section lists the controller and AP firmware builds supported by SCI in this release.

SCI supports the following controller and AP firmware builds in this release. If you are running a build not included in this list, please update your controller/AP firmware to a supported build before connecting to SCI as a data source.

### ZoneDirector

- ZD branch 9.5.3.0, build 45 and above
- All ZD branches starting from 9.7.0.0 and above

### SmartZone (SmartZone and SmartCell Gateway)

**NOTE:** As of release 3.1.1, all Ruckus controller products previously called “RuckOS” is now called “SmartZone” controllers. Therefore, the following applies to existing RuckOS products, which is called “SmartZone” (SmartZone 100, SmartCell Gateway 200 and Virtual SmartZone).

- SmartZone branch 2.1.1.0, build 126 and above
- SmartZone branch 2.1.2.0, build 96 and above
- SmartZone branch 2.1.3.0, build 20 and above
- All SmartZone branches starting 2.5.0.0 and above

### **SmartZone Access Points**

- SZ AP FW branch 2.1.1.0, build 106 and above
- SmartZone branch 2.1.1.0, build 106 and above
- SmartZone branch 2.1.2.0, build 110 and above
- SmartZone branch 2.1.3.0, build 10 and above
- All SmartZone Access Point branches starting 2.5.0.0 and above

## Resolved Issues

This section lists previously known issues that have been resolved in this release.

- Resolved an issue where data ingestion failed if the AP description was not provided.
- Resolved an issue of cross-scripting security vulnerability.
- Resolved an issue where the system was unable to read information from ZDs that use RADIUS authentication.
- Resolved an issue of XML parsing issues for data from ZD versions earlier than ZD 9.12.
- Resolved an issue of cross-scripting security vulnerability.[ER-4386]
- Resolved license issue during upgrade.[ER-4387 and ER-4433]

## Caveats, Limitations and Known Issues

This section lists the caveats, limitations and known issues in this release, along with workarounds if applicable.

None