

# Ruckus SmartCell Insight™ Release Notes

Supporting SmartCell Insight™ 5.1.3

# Copyright, Trademark and Proprietary Rights Information

© 2018 ARRIS Enterprises LLC. All rights reserved.

No part of this content may be reproduced in any form or by any means or used to make any derivative work (such as translation, transformation, or adaptation) without written permission from ARRIS International plc and/or its affiliates ("ARRIS"). ARRIS reserves the right to revise or change this content from time to time without obligation on the part of ARRIS to provide notification of such revision or change.

## Export Restrictions

These products and associated technical data (in print or electronic form) may be subject to export control laws of the United States of America. It is your responsibility to determine the applicable regulations and to comply with them. The following notice is applicable for all products or technology subject to export control:

*These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.*

## Disclaimer

THIS CONTENT AND ASSOCIATED PRODUCTS OR SERVICES ("MATERIALS"), ARE PROVIDED "AS IS" AND WITHOUT WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED. TO THE FULLEST EXTENT PERMISSIBLE PURSUANT TO APPLICABLE LAW, ARRIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, FREEDOM FROM COMPUTER VIRUS, AND WARRANTIES ARISING FROM COURSE OF DEALING OR COURSE OF PERFORMANCE. ARRIS does not represent or warrant that the functions described or contained in the Materials will be uninterrupted or error-free, that defects will be corrected, or are free of viruses or other harmful components. ARRIS does not make any warranties or representations regarding the use of the Materials in terms of their completeness, correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise. As a condition of your use of the Materials, you warrant to ARRIS that you will not make use thereof for any purpose that is unlawful or prohibited by their associated terms of use.

## Limitation of Liability

IN NO EVENT SHALL ARRIS, ARRIS AFFILIATES, OR THEIR OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, SUPPLIERS, LICENSORS AND THIRD PARTY PARTNERS, BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, PUNITIVE, INCIDENTAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER, EVEN IF ARRIS HAS BEEN PREVIOUSLY ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, WHETHER IN AN ACTION UNDER CONTRACT, TORT, OR ANY OTHER THEORY ARISING FROM YOUR ACCESS TO, OR USE OF, THE MATERIALS. Because some jurisdictions do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of liability for consequential or incidental damages, some of the above limitations may not apply to you.

## Trademarks

ARRIS, the ARRIS logo, Ruckus, Ruckus Wireless, Ruckus Networks, Ruckus logo, the Big Dog design, BeamFlex, ChannelFly, Edgelron, FastIron, HyperEdge, ICX, IronPoint, OPENG, SmartCell, Unleashed, Xclaim, ZoneFlex are trademarks of ARRIS International plc and/or its affiliates. Wi-Fi Alliance, Wi-Fi, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, Wi-Fi Protected Access (WPA), the Wi-Fi Protected Setup logo, and WMM are registered trademarks of Wi-Fi Alliance. Wi-Fi Protected Setup™, Wi-Fi Multimedia™, and WPA2™ are trademarks of Wi-Fi Alliance. All other trademarks are the property of their respective owners.

# Contents

---

|  |          |
|--|----------|
| <b>SCI Introduction</b> .....                      | <b>4</b> |
| Compatibility Matrix.....                          | 4        |
| Supported Controller and AP Firmware Builds.....   | 5        |
| <b>New Features and Enhancements</b> .....         | <b>5</b> |
| <b>Resolved Issues</b> .....                       | <b>6</b> |
| <b>Caveats, Limitations and Known Issues</b> ..... | <b>6</b> |
| Meltdown Vulnerabilities.....                      | 7        |
| ZoneDirector.....                                  | 7        |
| Saved Filters in Schedules.....                    | 7        |
| Hadoop Distributed File System (HDFS).....         | 7        |

# SCI Introduction

This document provides release information on SmartCell Insight (SCI) Release 5.1.3.

SmartCell Insight (SCI) is a Big Data analytics and reporting engine that provides deep visibility into the performance and operational statistics of your Ruckus Wireless WiFi infrastructure.

This document provides release information about the SCI features with notes on known issues, caveats, and workarounds.

Additional documentation on SCI can be found at: <https://support.ruckuswireless.com/>

The SCI manuals that can be found there are:

- SCI User Guide
- SCI Installation Guide
- SCI API User Guide
- SCI Upgrade Guide

## NOTE

The Upgrade Guide was new beginning with SCI release 5.0.0. Refer now to this guide for upgrade instructions.

## Compatibility Matrix

The following is the compatibility matrix between SCI and the SmartZone and ZoneDirector controllers.

**TABLE 1** Compatibility Matrix

| SCI Release     | SmartZone (controller) Release |                       | ZoneDirector (controller) Release   |
|-----------------|--------------------------------|-----------------------|---|
| Version         | Version 3.4 or lower           | Version 3.5 or higher | <ul style="list-style-type: none"><li>• <b>Branch 9.5.3.0, build 45 and above</b></li><li>• <b>All branches starting from 9.7.0.0 and above</b></li></ul> |
| 1.x             | Yes                            | No                    | Yes   |
| 2.x (Up to 2.4) | Yes                            | No                    | Yes   |
| 2.5 and above   | Yes                            | Yes                   | Yes   |

If you have a ZoneDirector 9.13 or lower version, the only option available to bring data into SCI is the polling mechanism, meaning that once the ZoneDirector is added to SCI, SCI regularly polls the ZoneDirector for data.

If you have Zone Director version 9.13 - MR1 or higher, version, you can choose the polling option or the ZoneDirector push mechanism, meaning that ZoneDirector will push data to the SCI.

Ensure that you use only one of the methods (poll or push) to avoid duplicate data.

## NOTE

The ZoneDirector "push" model usually does not require firewall changes, whereas the "pull" model may need firewall changes.

## Supported Controller and AP Firmware Builds

This section lists the controller and AP firmware builds supported by SCI in this release.

SCI supports the following controller and AP firmware builds in this release. If you are running a build not included in this list, update your controller/AP firmware to a supported build before connecting to SCI as a data source.

### *ZoneDirector*

- ZD branch 9.5.3.0, build 45 and above
- All ZD branches starting from 9.7.0.0 and above

### *SmartZone (SmartZone and SmartCell Gateway)*

#### **NOTE**

As of release 3.1.1, all Ruckus controller products previously called "RuckOS" is now called "SmartZone" controllers. Therefore, the following applies to existing RuckOS products, which is called "SmartZone" (SmartZone 100, SmartCell Gateway 200 and Virtual SmartZone).

- SmartZone branch 2.1.1.0, build 126 and above
- SmartZone branch 2.1.2.0, build 96 and above
- SmartZone branch 2.1.3.0, build 20 and above
- All SmartZone branches starting 2.5.0.0 and above

### *SmartZone Access Points*

- SZ AP FW branch 2.1.1.0, build 106 and above
- SmartZone branch 2.1.1.0, build 106 and above
- SmartZone branch 2.1.2.0, build 110 and above
- SmartZone branch 2.1.3.0, build 10 and above
- All SmartZone Access Point branches starting 2.5.0.0 and above

## New Features and Enhancements

This section lists the new features and enhancements in this release.


#### **New Features:**

In the Data Explorer section of the SCI user interface, you can now compare current data from various dimensions/measures to the same data from a previous, specified time period. For more information, see the SCI User Guide: "Time Compares" section of the "Data Explorer" chapter.

#### **Enhancements:**

When you click **Download** from the Data Explorer Share Link icon (it is the middle icon in the figure below), you can specify the number of rows you want to receive, and you can choose from more formats than were previously available. For more information, see the SCI User Guide: "Share Link" section of the "Data Explorer" chapter.

FIGURE 1 Share Link Icon in Data Explorer



## Resolved Issues

This release contains a fix to a Druid overload bug, which would prevent Druid from indexing data, leading to gaps in data on reports.

## Caveats, Limitations and Known Issues

This section lists the caveats, limitations and known issues in this release, along with workarounds if applicable.

- If you are using the "Time Compares" feature, there is one specific scenario where the feature is not currently working: You cannot use the **Absolute** tab for a customized comparison when "Time" is one of the dimensions you are using. For more information about how the Time Compares feature works, refer to the SCI User Guide, "Data Explorer" chapter.
- rxFail\_r sometimes has large negative values.
- Channel 0 may incorrectly get displayed in SmartZone versions earlier than SZ 3.2.
- When you upgrade to SCI 3.5 or later, the anomaly list in the Overview page is removed. It becomes available and operates normally starting at 3 a.m. UTC the following day.
- Scheduled reports will be sent out one hour after the scheduled time, even if no data exists.
- CSV export from the Data Explorer (data cubes as well as dashboard CSV downloads) will always export in UTC.
- For raw data export, selection of local time zone for querying data is supported, but the exported data will be in UTC. For example, if you specify time range for export as 11-11-2017 13:00 PST to 11-11-2017 14:00 PST, the data exported will be for this time range, but the timestamps in the exported data will be in UTC, which means that the timestamps will show values between 11-11-2017 21:00 UTC and 11-11-2017 22:00 UTC.
- If you first installed this SCI instance at version SCI 2.0 or SCI 2.0.1, please run the following command (**exactly** as shown below, including the back-tick marks) on that instance to receive an accurate display of the Custom Dashboards, even if you periodically updated this instance to later versions of SCI 2. x:

```
`docker-compose up -d --remove-orphans`
```

## Meltdown Vulnerabilities

The kernel in a fresh install of SCI v 3.6.0 or later has been patched for Meltdown Vulnerabilities. If you are upgrading from an earlier version of SCI, and have not yet patched the SCI VM kernel, run the following commands to update your SCI VM version with the patch:

- **sudo yum update**
- **sudo reboot**

## ZoneDirector

- Migration of ZoneDirector data is not supported.
- Airtime utilization: All versions of ZD below 9.12.1 have a known issue whereby the airtime utilization percentages can be above 100%.  
**Workaround:** Ruckus recommends that you update ZD to version 9.12.1 or later to resolve this issue.
- ZoneDirector PushXML supports up to 200 ZoneDirector controllers.
- ZoneDirector Push XML is supported only by ZD 9.13-MR1 and above and ZD10-MR1 and above.
- In SCI, there is no application data pertaining to the ZoneDirector.

## Saved Filters in Schedules

- Selecting a schedule loads the saved filters, but does not preserve the currently selected filters.
- Saved filters created prior to version 2.4 will not be loaded when a schedule is selected.

## Hadoop Distributed File System (HDFS)

- HDFS replication factor of existing files is not changed to 2 (remains at 3).



© 2018 ARRIS Enterprises LLC. All rights reserved.  
Ruckus Wireless, Inc., a wholly owned subsidiary of ARRIS International plc.  
350 West Java Dr., Sunnyvale, CA 94089 USA  
[www.ruckuswireless.com](http://www.ruckuswireless.com)