Ruckus Wireless™ Unleashed™ Version 200.4

Release Notes

Part Number 800-71504-001 Rev A
Published May 2017

www.ruckuswireless.com

Copyright Notice and Proprietary Information

Copyright 2017. Ruckus Wireless, Inc. All rights reserved.

No part of this documentation may be used, reproduced, transmitted, or translated, in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without prior written permission of Ruckus Wireless, Inc. (“Ruckus”), or as expressly provided by under license from Ruckus.

Destination Control Statement

Technical data contained in this publication may be subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader’s responsibility to determine the applicable regulations and to comply with them.

Disclaimer

THIS DOCUMENTATION AND ALL INFORMATION CONTAINED HEREIN (“MATERIAL”) IS PROVIDED FOR GENERAL INFORMATION PURPOSES ONLY. RUCKUS AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THE MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE, OR THAT THE MATERIAL IS ERROR-FREE, ACCURATE OR RELIABLE. RUCKUS RESERVES THE RIGHT TO MAKE CHANGES OR UPDATES TO THE MATERIAL AT ANY TIME.

Limitation of Liability

IN NO EVENT SHALL RUCKUS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, OR DAMAGES FOR LOSS OF PROFITS, REVENUE, DATA OR USE, INCURRED BY YOU OR ANY THIRD PARTY, WHETHER IN AN ACTION IN CONTRACT OR TORT, ARISING FROM YOUR ACCESS TO, OR USE OF, THE MATERIAL.

Trademarks

Ruckus Wireless, Ruckus, the bark logo, ZoneFlex, FlexMaster, ZoneDirector, SmartMesh, ChannelFly, SmartCell, Dynamic PSK, and Simply Better Wireless are trademarks of Ruckus Wireless, Inc. in the United States and other countries. All other product or company names may be trademarks of their respective owners.

Contents

Copyright Notice and Proprietary Information

1 About This Release

Document Introduction 4
Introducing Ruckus Unleashed 4

2 Supported Platforms and Upgrade Information

Supported Platforms 5
Upgrade Information 5
Online Upgrade: 5
Local Upgrade: 6

3 Enhancements and Resolved Issues

Enhancements 7

4 Caveats, Limitations, and Known Issues

Known Issues 8

About This Release

1

Document Introduction

This document provides release information on Ruckus Unleashed release **200.4**, including new features, enhancements, known issues, caveats, workarounds, supported platforms and upgrade information for this release.

Introducing Ruckus Unleashed

Unleashed is a controller-less solution from Ruckus Wireless that provides a cost effective, easy to implement, and yet feature-rich solution that is perfect for SMB and home customers. The Unleashed solution scales up to 25 APs and 512 clients.

For more information on Unleashed configuration, administration and maintenance, please see the Unleashed Online Help, available at http://docs.ruckuswireless.com/unleashed/200.4/index.html.

Supported Platforms and Upgrade Information

2

Supported Platforms

Unleashed version **200.4.9.13.0.0.47** supports the following Ruckus AP models:

- R310
- R500
- R510
- H510
- R600
- R610
- R710
- T300
- T300e
- T301n
- T301s
- T710
- T710s

Upgrade Information

The following release builds can be directly upgraded to Unleashed version **200.4.9.13.0.0.47**:

Online Upgrade:

- 200.0.9.9.608 (Unleashed 200.0 GA)
- 200.1.9.12.62 (Unleashed 200.1 GA Refresh)
- 200.2.9.13.186 (Unleashed 200.2 GA)
- 200.3.9.13.228 (Unleashed 200.3 GA)

Local Upgrade:

- 200.2.9.13.186 (Unleashed 200.2 GA)
- 200.3.9.13.228 (Unleashed 200.3 GA)

Enhancements and Resolved Issues

3

This section lists new features and enhancements that have been added in this release and resolved issues from previous releases.

Enhancements

Release 200.3 introduces the following new features/enhancements:

- New Access Point: R610

  This release adds Unleashed support for the new Ruckus R610 802.11ac Wave 2 Access Point. The R610 is a 3x3:3 dual-band concurrent indoor AP, with dual GbE ports with Link Aggregation, USB port for IoT devices, and flexible power options including 12VDC, 802.3at and 802.3af PoE/PoE+ support.

- External antenna configuration options for T300e

  The web interface now provides options for configuring T300e external antenna settings.

- Unleashed Mobile App Support

  This release provides support for the Unleashed mobile app (Android and iOS), which allows you to configure and monitor your Unleashed network through an app (in addition to the web interface). The mobile app will be released separately.

Caveats, Limitations, and Known Issues

4

Known Issues

This section lists the caveats, limitations, and known issues in this release.

- LACP is not working properly on R610 APs when mesh is enabled. [UN-961]

  Workaround: Disable mesh if you need to enable LACP.

- Upgrading an R710 Master from 200.3 to 200.4 with R610 APs connected can result in errors preventing the R610 from joining the Master. [UN-940]

  Workaround: Before upgrading from 200.3 to 200.4, make sure there are no R610s connected/powered on.

Copyright © 2006-2017. Ruckus Wireless, Inc.
350 West Java Dr. Sunnyvale, CA 94089. USA
www.ruckuswireless.com