

RUCKUS Unleashed 200.17.7.0.152 GA Refresh Release Notes

Supporting Unleashed 200.17

No part of this content may be reproduced in any form or by any means or used to make any derivative work (such as translation, transformation, or adaptation) without written permission from CommScope, Inc. and/or its affiliates ("CommScope"). CommScope reserves the right to revise or change this content from time to time without obligation on the part of CommScope to provide notification of such revision or change.

Export Restrictions

These products and associated technical data (in print or electronic form) may be subject to export control laws of the United States of America. It is your responsibility to determine the applicable regulations and to comply with them. The following notice is applicable for all products or technology subject to export control:

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

Disclaimer

THIS CONTENT AND ASSOCIATED PRODUCTS OR SERVICES ("MATERIALS"), ARE PROVIDED "AS IS" AND WITHOUT WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED. TO THE FULLEST EXTENT PERMISSIBLE PURSUANT TO APPLICABLE LAW, COMMScope DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, FREEDOM FROM COMPUTER VIRUS, AND WARRANTIES ARISING FROM COURSE OF DEALING OR COURSE OF PERFORMANCE. CommScope does not represent or warrant that the functions described or contained in the Materials will be uninterrupted or error-free, that defects will be corrected, or are free of viruses or other harmful components. CommScope does not make any warranties or representations regarding the use of the Materials in terms of their completeness, correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise. As a condition of your use of the Materials, you warrant to CommScope that you will not make use thereof for any purpose that is unlawful or prohibited by their associated terms of use.

Limitation of Liability

IN NO EVENT SHALL COMMScope, COMMScope AFFILIATES, OR THEIR OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, SUPPLIERS, LICENSORS AND THIRD PARTY PARTNERS, BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, PUNITIVE, INCIDENTAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER, EVEN IF COMMScope HAS BEEN PREVIOUSLY ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, WHETHER IN AN ACTION UNDER CONTRACT, TORT, OR ANY OTHER THEORY ARISING FROM YOUR ACCESS TO, OR USE OF, THE MATERIALS. Because some jurisdictions do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of liability for consequential or incidental damages, some of the above limitations may not apply to you.

Trademarks

CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see <https://www.commscope.com/trademarks>. All product names, trademarks, and registered trademarks are the property of their respective owners.

Patent Marking Notice

For applicable patents, see www.cs-pat.com.

Contents

- Document History..... 4**
- Introduction..... 4**
 - Introducing RUCKUS Unleashed..... 4
- New in This Release..... 4**
 - New Access Point (AP) in 200.17.7.0.139..... 4
 - New Features in 200.17.7.0.139..... 4
 - Changed Behavior..... 5
- Hardware and Software Support..... 5**
 - Supported Platforms..... 5
- Upgrade Information..... 5**
 - Supported Upgrade Paths..... 5
- Known Issues..... 7**
- Resolved Issues..... 8**
 - Resolved Issues in Build 200.17.7.0.152..... 8
 - Resolved Issues in Build 200.17.7.0.139..... 8

Document History

Revision Number	Summary of changes	Publication date
B	Updated changed behavior for Unleashed remote portal login	March 2025
A	Initial release notes	February 2025

Introduction

This document provides release information on RUCKUS Unleashed release 200.17, including new features and enhancements, along with known issues, caveats, workarounds, supported platforms and upgrade information for this release.

Introducing RUCKUS Unleashed

Unleashed is a controller-less WLAN solution that allows small businesses to deliver an enterprise-class Wi-Fi user experience in a cost effective, easy to implement, intuitive and yet feature-rich platform. Dedicated Unleashed offers a solution with controller functionalities.

An Unleashed network can scale up to 128 Access Points and 2,048 concurrent clients in bridge mode (gateway mode supports up to 25 APs and 512 clients) and up to 150 APs and 4000 clients in Dedicated Master mode.

For more information on Unleashed configuration, administration, and maintenance, please see the Unleashed Online Help, available at <https://docs.commscope.com/bundle/unleashed-200.17-onlinehelp>.

New in This Release

This section lists the new features and changed behavior in this release.

New Access Point (AP) in 200.17.7.0.139

- R670 AP

The R670 AP is an 802.11be tri-band Wi-Fi 7 indoor AP that delivers 6 spatial streams (2x2:2 in 2.4 GHz, 5 GHz and 6 GHz in tri-band mode or 2x2:2 in 2.4 GHz and 4x4:4 in 5 GHz in dual-band mode).

New Features in 200.17.7.0.139

- AP R670 Radio mode selection

The radio mode selection in AP R670 allows you to choose between Dual-band or Tri-band radio bands.

- Show Station Radio Type in Unleashed web interface

From **Clients** component of the Unleashed web interface, display Radio Type of the connected wireless client from the **Clients Details** window.

- SONOS enhancement in Unleashed web interface

Support for SONOS compatibility, ensuring seamless integration with your SONOS audio devices.

- Enhancements or minor new feature development

Changed Behavior

- The RUCKUS Unleashed remote portal login process is managed through the RUCKUS Account Management system, a unified authentication system designed to streamline the user login process and secure access to RUCKUS cloud services.

After May 31, 2025, the RUCKUS Account Management login will be the default login for the Unleashed remote portal. For more information, refer to the Unleashed Online help.

Hardware and Software Support

Supported Platforms

Unleashed version **200.17.7.0.152** supports the following RUCKUS AP models:

Indoor AP	Outdoor AP
R850	T750se
R770	T750
R750	T350se
R670*	T350d
R650	T350c
R550	
R350E	
R350	
H550	
H350	

NOTE

R670 AP is introduced in the 200.17 GA release.

Upgrade Information

Supported Upgrade Paths

The following release builds can be directly upgraded to Unleashed version **200.17.7.0.152**:

Online Upgrade:

- 200.7.10.2.339 (Unleashed 200.7 GA)
- 200.7.10.102.64 (Unleashed 200.7 MR1)
- 200.7.10.102.92 (Unleashed 200.7 MR2)
- 200.7.10.102.94 (Unleashed 200.7 MR3)
- 200.7.10.202.118 (Unleashed 200.7 MR4)
- 200.7.10.202.121 (Unleashed 200.7 MR5)
- 200.7.10.202.127 (Unleashed 200.7 MR6)

Upgrade Information

Supported Upgrade Paths

- 200.7.10.202.141 (Unleashed 200.7 MR7)
- 200.8.10.3.243 (Unleashed 200.8 GA)
- 200.8.10.3.278 (Unleashed 200.8 MR1)
- 200.8.10.3.290 (Unleashed 200.8 MR2)
- 200.9.10.4.202 (Unleashed 200.9 GA)
- 200.9.10.4.212 (Unleashed 200.9 GA Refresh 1)
- 200.9.10.4.233 (Unleashed 200.9 GA Refresh 2)
- 200.9.10.4.243 (Unleashed 200.9 GA Refresh 3)
- 200.10.10.5.229 (Unleashed 200.10 GA)
- 200.10.10.5.246 (Unleashed 200.10 GA Refresh 1)
- 200.10.10.5.253 (Unleashed 200.10 GA Refresh 2)
- 200.11.10.5.195 (Unleashed 200.11 GA)
- 200.12.10.5.234 (Unleashed 200.12 GA)
- 200.12.10.105.100 (Unleashed 200.12 MR1)
- 200.12.10.105.129 (Unleashed 200.12 MR1 Refresh 1)
- 200.13.6.1.319 (Unleashed 200.13 GA)
- 200.14.6.1.179 (Unleashed 200.14 GA)
- 200.14.6.1.199 (Unleashed 200.14 GA Refresh 1)
- 200.14.6.1.203 (Unleashed 200.14 GA Refresh 2)
- 200.15.6.12.304 (Unleashed 200.15 GA)
- 200.15.6.112.52 (Unleashed 200.15 MR)
- 200.15.6.112.54 (Unleashed 200.15 MR Refresh)
- 200.15.6.212.14 (Unleashed 200.15 MR2)
- 200.16.7.0.325 (Unleashed 200.16 GA)
- 200.16.7.0.402 (Unleashed 200.16 GA Refresh)
- 200.17.7.0.139 (Unleashed 200.17 GA)

Local Upgrade:

- 200.2.9.13.186 (Unleashed 200.2 GA)
- 200.3.9.13.228 (Unleashed 200.3 GA)
- 200.4.9.13.47 (Unleashed 200.4 GA)
- 200.5.10.0.235 (Unleashed 200.5 GA Refresh 1)
- 200.5.10.0.291 (Unleashed 200.5 GA Refresh 3)
- 200.6.10.1.308 (Unleashed 200.6 GA)
- 200.6.10.1.310 (Unleashed 200.6 GA Refresh 1)
- 200.6.10.1.312 (Unleashed 200.6 GA Refresh 2)
- 200.7.10.2.339 (Unleashed 200.7 GA)
- 200.7.10.102.64 (Unleashed 200.7 MR1)
- 200.7.10.202.92 (Unleashed 200.7 MR2)
- 200.7.10.202.94 (Unleashed 200.7 MR3)

- 200.7.10.202.118 (Unleashed 200.7 MR4)
- 2007.10.202.121 (Unleashed 200.7 MR5)
- 200.7.10.202.127 (Unleashed 200.7 MR6)
- 200.7.10.202.141 (Unleashed 200.7 MR7)
- 200.8.10.3.243 (Unleashed 200.8 GA)
- 200.8.10.3.278 (Unleashed 200.8 MR1)
- 200.8.10.3.290 (Unleashed 200.8 MR2)
- 200.9.10.4.202 (Unleashed 200.9 GA)
- 200.9.10.4.212 (Unleashed 200.9 GA Refresh 1)
- 200.9.10.4.233 (Unleashed 200.9 GA Refresh 2)
- 200.9.10.4.243 (Unleashed 200.9 GA Refresh 3)
- 200.10.10.5.229 (Unleashed 200.10 GA)
- 200.10.10.5.246 (Unleashed 200.10 GA Refresh 1)
- 200.10.10.5.253 (Unleashed 200.10 GA Refresh 2)
- 200.11.10.5.195 (Unleashed 200.11 GA)
- 200.12.10.5.234 (Unleashed 200.12 GA)
- 200.12.10.105.100 (Unleashed 200.12 MR1)
- 200.12.10.105.129 (Unleashed 200.12 MR1 Refresh 1)
- 200.13.6.1.319 (Unleashed 200.13 GA)
- 200.14.6.1.179 (Unleashed 200.14 GA)
- 200.14.6.1.199 (Unleashed 200.14 GA Refresh 1)
- 200.14.6.1.203 (Unleashed 200.14 GA Refresh 2)
- 200.15.6.12.304 (Unleashed 200.15 GA)
- 200.15.6.112.52 (Unleashed 200.15 MR)
- 200.15.6.112.54 (Unleashed 200.15 MR Refresh)
- 200.15.6.212.14 (Unleashed 200.15 MR2)
- 200.16.7.0.325 (Unleashed 200.16 GA)
- 200.16.7.0.402 (Unleashed 200.16 GA Refresh)
- 200.17.7.0.139 (Unleashed 200.17 GA)

Known Issues

This section lists the caveats, limitations, and known issues in this release.

There are no known issues in this release.

Resolved Issues

This section lists any customer-reported issues from previous releases that have been resolved in this release.

Resolved Issues in Build 200.17.7.0.152

- When static channel 85 on 6 GHz radio is configured, the AP works on Channel 1. [ER-14378]
- Improve compatibility with Control4 Halo in 200.17. [UN-11081]

Resolved Issues in Build 200.17.7.0.139

- Unleashed AP R770 (200.16.7.0.402) has difficulty establishing a Mesh network. [ER-14295]
- Security fixes, refer to the [RUCKUS Security Advisory](#) for more information.



© 2025 CommScope, Inc. All rights reserved.
350 West Java Dr., Sunnyvale, CA 94089 USA
<https://www.commscope.com>